

South Middleton Township

Serving our Community with Pride

NOTICE FOR BIDS

ROAD PROJECTS

South Middleton Township is accepting sealed bids for the following:

1. Heisers Lane – Light leveling, spot leveling, FB-2 Binder, Superpave
2. Greenfield Development – Milling, Pave spot leveling, Superpave

Each bid submission must be accompanied by a certified check or bid bond in the amount of ten percent (10%) of the bid amount payable to South Middleton Township. A Performance Bond and a Payment Bond in the amount of one hundred percent (100%) of the bid amount shall be submitted by the awardee(s) after execution of the contract, as well as a Worker's Compensation Certificate. The deposits of bidders, other than the one(s) to whom the contracts is (are) awarded, will be returned immediately after execution of the contract. All projects to be completed as noted on individual proposals.

Bids are to be submitted on forms supplied by the Township, and can be picked up at the Township Office between 8:00 a.m. and 4:00 p.m., Monday through Friday or by calling the office at 258-5324. Bids will be accepted until 1:00 p.m. on April 14, 2020 and said bids will be opened and read at 1:00 p.m. on April 14, 2020. Said bids will be awarded at the Board of Supervisors meeting on April 30, 2020 at 6:00 pm. prevailing time.

South Middleton Township reserves the right to reject any or all bids, or to readvertise and accept any proposal deemed to be most favorable to the interests of South Middleton Township. These projects are subject to Prevailing Wage Act and Regulations.

The contractor will be charged \$200.00 per working day until project is completed if not completed by said date.



PROPOSAL AND CONTRACT (WHEN EXECUTED)

INSTRUCTIONS ON PAGE 4

THIS PROPOSAL INCLUDES INSTRUCTIONS TO BIDDERS

A. DEPOSIT OF PROPOSALS.

All envelopes containing Bid proposals shall be clearly marked "Bid Proposal for letting of

Greenfield Dev

April 14, 2020 ."

DATE

South Middleton Twp. 2nd Class Twp

MUNICIPALITY (NAME & TYPE)

Sandra A. Quickel

SECRETARY

Sealed Proposals will be received on or before

1:00 p m on the above Letting Date.

TIME

520 Park Drive

Boiling Springs, PA. 17007

ADDRESS

Bids will be opened and read at approximately

1:00 pm , on the above Letting Date.

TIME

PROPOSALS MUST BE MAILED OR OTHERWISE DELIVERED TO THE ABOVE ADDRESS.

- 1 The contractor proposes to furnish and deliver all materials (including Form CS-4171, CERTIFICATE OF COMPLIANCE and/ or TR-465 DAILY BITUMINOUS MIXTURE CERTIFICATION) and to do and perform all work on the following project as more specifically set forth in the Schedule of Prices (Attachment), in accordance with drawings and specifications on file at as well as the supplements and special requirements contained herein and/ or attached hereto and current PennDOT Specifications (Publication 408), except (a) bidders need not be prequalified by PennDOT (Sec.102.01), and (b) Volumetric testing of bituminous paving materials is not required (Sec. 409).
2 If designated as the successful bidder, the contractor will begin work on the date specified in the notice to proceed, or as otherwise provided in the special requirements, and will complete all work within see attachment 1-A calendar days.
3 Accompanying this proposal is a certified check or bid bond in the amount of 10% made payable to the municipality as a proposal guarantee which, it is understood, will be forfeited in case the contractor fails to comply with the requirements of the proposal.

B. PROPOSAL OF:

Three horizontal lines for contractor name and address.

NAME / ADDRESS OF CONTRACTOR

CONTRACTORS CERTIFICATION

It is hereby certified as follows:

- 1 The only person interested in the proposal as principal (s) is (are):
2 None of the above persons are employees of the municipality.
3 This proposal is made without collusion with any other person, firm or corporation.
4 All plans and specifications referred to above and the site of the work have been examined by the contractor. The contractor understands that the quantities indicated herein are approximate and are subject to change as may be required; and that all work is payable on the basis of the unit price listed on the Schedule of Prices. (Attachment 1).


- 5 The contractor will comply with all requirements of the laws and implementing regulations of the Commonwealth of Pennsylvania and the United States relating to human relations, equal opportunity and non-discrimination in employment, and will pay to workmen employed in the performance of the contract the wages to which they may be entitled.

- 6 The contractor will provide the municipality with a performance bond, conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions thereof, and a payment bond, conditioned on the prompt payment of all material furnished and labor supplied or performed in the prosecution of the work, in accordance with the Public Works Contractors' Bond Law of 1967; and an affidavit accepting the provisions of the Workmen's Compensation Act of 1915, as amended.

CONTRACTOR

WITNESSED OR ATTESTED BY:

 TITLE: (SEAL)



 TITLE: (SEAL)

=====

TO BE EXECUTED ONLY IN THE EVENT THE ABOVE PROPOSAL IS ACCEPTED


=====

ACCEPTED ON : _____
 DATE

 MUNICIPALITY

ATTESTED BY:

 TITLE:



 TITLE:

 TITLE:



ATTACHMENT 1

TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County: Cumberland

Municipality: South Middleton Township

Project Number: _____

THIS PORTION TO BE COMPLETED BY THE MUNICIPALITY

LOCATION OF WORK: Greenfield Development

Greenfield Dr (T-482) 34 ft width X 1,954 ft length. Briarly Dr (T-484) 34 ft width X 476 ft length. Thornhill Court (T-485) 34 ft width X 370 ft length. Ridgeway Dr (T-486) 34 ft width X 845 ft length. Wexford Court (T-487) 34 ft width X 264 ft length. Tunbridge Lane (T-490) 32 ft width X 1,056 ft length. Including the two cul-de-sacs on Wexford Court and Thornhill Court.

DESCRIPTION OF WORK:

Mill 0"-1-1/2" 5 ft, taper along curbs and if/as necessary to maintain drainage at intersections. Layout centerline. Clean and tack. Pave light spot leveling as needed to improve crown or lower areas. Pave 1-1/2" overlay curb to curb. Contractor may not proceed until cracked areas are crack sealed/chip sealed, storm drain boxes are reset, and manholes and valve adjustments are completed. Township will provide trucks to haul and retain millings. Tack coat prior to paving and seal all joints and curbs "excluding" manholes and valve boxes.

ESCALATOR CLAUSE: (if adopted by Municipality)

As per Penn DOT 408 specifications. Bid using March 2020 index. (\$488.00)

ADT less than 1,000.

SCHEDULE OF PRICES					
1 Item No.	2 Approximate Quantities	3 Unit	4 *Description	5 Unit Price	6 Total
1	5,650	Sq Yd	Milling variable depth taper to curb, 5 ft.		
2	100	Tons	9.5mm, 0-0.3m ESAL, PG64-22, SRL-Any, Superpave wearing leveling.		
3	1,750	Tons	9.5mm, 0-0.3m ESAL, PG64-22, SRL-Any, Superpave wearing 1-1/2 depth.		
			NOTE: This project is subject to the Prevailing Wage Act & Regulations.		
			L&I Serial # 20-01870		
				SUBTOTAL	
				SUBTOTAL FROM OTHER ATTACHMENTS	
				TOTAL AMOUNT OF BID	

* DESCRIPTION:

Must include ADT on wearing surfaces
USE OF CUTBACK ASPHALT IS PROHIBITED
BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT
AS NOTED IN BULLETIN NO. 25.

PROPOSAL AND CONTRACT INSTRUCTIONS- FORM 944

- 1 The proposal must be typewritten or printed.
- 2 If more than one proposal on any project is submitted by an individual, firm or partnership, corporation or association under the same or different names, only one lowest proposal will be considered.
- 3 Description of Work- - -
 - A. If additional space is needed, insert appropriately numbered attachment and note "Continued on attached work sheets."
- 4 Part A of Page 1 to be completed by municipality. Part B of Page 1 to be completed by contractor. Schedule of Prices - Column #1 (Item), #2 (Approximate quantities), #3 (Unit, i.e., ton, square yard, linear feet, etc.) And #4 (Description, i.e., bituminous materials - 9.5 mm S & L, 12.5 mm Wearing, 25.0 mm Base Course, etc.) Must be filled in by the municipality to insure equitable bidding. Columns #5 (Unit Price), #6 (Total) and total amount of bid, must be filled in by the contractor. If more space is needed, add note at the bottom of the page; "Continued on Attachment No. 1-A," and add additional sheet designated as Attachment No. 1-A, 1-B, etc.. Repeat for each additional sheet required.
- 5 If liquidated damages are to be assessed, add the following sentence to Part A #2. If all work is not completed on time, liquidated damages will be assessed at the rate of \$200.00 per additional working day. (OR "... as set forth in the attached schedule.")
- 6 Payment and Performance bonds are provided only by the successful bidder. Contracts under \$5,000 - bonds must be in 50 % of the contract amount. Contracts in excess of \$5,000 - bonds must be in 100 % of the amount of contract. Bond Forms MS-944 Attachments 2 and 3 and Workmen's Compensation Affidavit Attachment 4 must be submitted by the successful bidder within 20 days of the contract award. Failure to submit the bonds shall constitute grounds to cancel the contract.
- 7 *Construction projects, where the estimated cost of the total project exceeds \$25,000, are subject to the provisions of the Pennsylvania Prevailing Wage Act 442. It is the responsibility of the municipality to obtain the Prevailing Wage Scale for the area and include it in the proposal. If the Prevailing Wage Act applies, this fact shall be noted in the advertisement.

On projects utilizing Federal Revenue Sharing Funds, if the project cost exceeds \$2,000 and is financed with 25% or more Federal Revenue Sharing Funds, the Davis Bacon Act applies. Again, it is the responsibility of the municipality to obtain the Davis Bacon Wage Rates, include them in the proposal and note the fact in the advertisement. If both acts are applicable, The Davis Bacon Act has preference over the Pennsylvania Prevailing Wage Act.
- 8 An ESCALATOR CLAUSE is optional; if used, it must be included in the proposal prepared by the municipality. An escalator clause may not be inserted by the contractor.

*(1961, Aug. 15, P.L. 987; 43 P.S. 165)

**SPECIAL PROVISIONS TO CONTRACT MS-944 (Attachment 1-A)
CONTAINS IMPORTANT INFORMATION FOR THE CONTRACTOR**

The Prime Contractor and subcontractors must comply with all of the following provisions that are marked with an "X".

- X Traffic Control and Safety Devices to be provided by the Contractor.
(PA. DEPART. Of TRANS. Publication 203, WORK ZONE TRAFFIC CONTROL, CURRENT EDITION.)
- X Delivery tickets for all materials.
- X CS-4171 Certificate of Compliance and/ or TR-465 Daily Bituminous Mixture Certification required for all material:
- X Notify the Municipality five working days prior to start of project.
- X Work to be completed on or before 9/11/2020 . After 9/11/2020 Liquidated damages apply at the rate of \$ 200.00 per calendar day.
- X Roadway to be power broomed by (contractor municipality)prior to start of project.
- X Excess material to be removed by (contractor municipality .)
- X Municipality to inspect project.
Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408.
- X Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise.
Prime Coat required per Section 461 of Specifications 408.
- X Bituminous Seal on all abutting pavement and curbs required.
- X Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise.
- X Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s).
Full width pavement with one pass required.
- X Municipality reserves the right to limit work completed.
Taper pavement the last 3 feet to curb.
For FOB Source bids, hauling distance will determine selection of bid award.
Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed.
- X Completion of NON-COLLUSION AFFIDAVIT required.
- X Incidental Preparation and clean up required. (Project Construction Materials)
The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received.
- X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work.
- X Contractor responsible for defects that occur within one year of applications.
Contractor required to review proposed project with Municipality's Representative prior to bidding.
Oil Samples required from each distributor truck by contractor (1) one quart : A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.)
At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality.
- X Complete all testing in accordance with Specification Form 408 Section 409 except for superpave volumetric testing.
Notice to Proceed will be the date of Contract acceptance.
- X Final Completion Certificate & Notice of Completion required.
- X Future award of Contract will be based on quality of work as determined by the municipality.
Contractor, notify all residents of pending work to be performed.
- X Penn DOT 408 specifications will be followed and direction of Township Roadmaster.
- X E-Verify required upon submission of bid.
- X Prevailing Wage rates apply.

My signature signifies that I have read and understand the above special provisions to this contract, and by being authorized by this company to act as their authorized representative, and on their behalf hereby agree to adhere to any and all of the provisions pertaining to this contract.

Contractor's Representative	Date	<i>Sandra Quickel</i>	3-12-2020
Company		<i>S. Middleton Twp</i>	Municipality

ANTI-COLLUSION AFFIDAVIT



County _____

Municipality _____

Project Number _____

Fed. Project No. _____
(If Applicable)

State of _____

County of _____

The undersigned deponent deposes and says that he is the _____
of the _____ Company; that he is authorized to make this
affidavit on behalf of said company in compliance with section 102.06 (e) of Department Specifications,
Publication 408, as amended and that the said company has not, either directly or indirectly, entered
into any agreement, participated in any collusion, or otherwise taken any action in restraint of free
competitive bidding in connection with such contract.

(Contractor)

BY

Sworn to and subscribed before me the undersigned notary public this

_____ day of _____, _____.

Notary Public

My Commission expires _____

ESCALATOR CLAUSE

Price Adjustments (Schedules 1 and 3) – The only allowable adjustments to the bid unit price will be those related directly and solely to fluctuations in the price of bitumen, commonly referred to as liquid asphalt. Price adjustments will be made in accordance with Penn DOT guidelines, (Publication 408, Section 110.04) and may result in cost increases or rebates. Bidders should submit unit prices based on the Penn DOT District 8-0 asphalt index at the time these documents were prepared (\$488.00 per ton). Price adjustments, if necessary, will be made throughout the duration of the contract based on the District 8-0 asphalt index in effect on the last Wednesday of the month before the material was purchased. Invoices shall only include material purchased within any given month. A copy of Form CS-1PA, tonnage basis, shall be attached to each invoice for bituminous materials. The asphalt index to be inserted on the form must correspond with the index listed on the Pennsylvania Asphalt Pavement Association website (www.pahotmix.org), as provided by Penn DOT, for District 8-0.